UK DESIGN AND TECHNOLOGY

Polar Floors

SPC & LVT COLLECTION

POLARFLOORS.COM

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY

TRADE FLOORING SUITED FOR RESIDENTIAL AND COMMERCIAL GRADE WITH WARRANTY

100% NATURAL

HEALTHY
GREEN
ENVIRONMENTAL

2025.09.04







POLAR SPC HB - CHESTNUT

640X128MM

FILM CODE	**2837**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR SPC HB - ANTIQUE

640X128MM

FILM CODE	**2869**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY







POLAR SPC HB - CLASSIC OAK

640X128MM

FILM CODE	**2836**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY






POLAR SPC HB - AMERICAN WALNUT

640X128MM

FILM CODE	**8661**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY






POLAR SPC HB - WHITE WASH

640X128MM

FILM CODE	**2864**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY






POLAR SPC HB - WEATHERED OAK

640X128MM

FILM CODE	**2865**
TOTAL THICKNESS	**5.0 MM**
CORE	**4.0MM VIRGIN WHITE STONE**
UNDERLAY	**1MM SUPER EVA**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**0.983**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY






POLAR LVT - SELECT OAK

1220X180MM

FILM CODE	**2837**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - CAPPUCCINO

1220X180MM

FILM CODE	**2869**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - CLASSIC OAK

1220X180MM

FILM CODE	**2836**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR LVT - PARIS

1220X180MM

FILM CODE	**2835**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY






POLAR LVT - SILVER

1220X180MM

FILM CODE	**2864**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY






POLAR LVT - WEATHERED OAK

1220X180MM

FILM CODE	**2865**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR LVT - AMERICAN WALNUT

1220X180MM

FILM CODE	**2837**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - OAK HISTORY

1220X180MM

FILM CODE	**XJ83025**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - VINTAGE TIMBER

1220X180MM

FILM CODE	**8660**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR LVT - CHERRY

1220X180MM

FILM CODE	**8683**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR LVT - ASH

1220X180MM

FILM CODE	**2956**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - EBONY

1220X180MM

FILM CODE	**2916**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY





POLAR LVT - CASHMERE OAK

1220X180MM

FILM CODE	**2973**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE | NANO ANTIFOULING | FIRE PROTECTION | HD WOOD GRAIN | ANTI-SLIP SURFACE | SOUND-PROOF TECHNOLOGY | 100% WATERPROOF | FULLY WEAR-RESISTANT | LIMITED WARRANTY





POLAR LVT - HERITAGE OAK

1220X180MM

FILM CODE	**2929**
TOTAL THICKNESS	**4.0 MM**
CORE	**4.0MM EXTRUDED VINYL CORE**
UNDERLAY	**NONE**
WEAR LAYER	**0.3MM**
PIECES PER CARTON	**12PCS**
COVERAGE PER CARTON	**2.635**
EMBOSSING	**3D NATURAL**
FINISH	**MATT**
EDGE DETAILS	**UNILIN CLICK LOCK**
RESIDENTIAL LIMITED WARRANTY	**5 YEARS**
COMMERCIAL LIMITED WARRANTY	**2 YEARS**

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY

POLAR SPC & LVT ACCESSORIES

WE HAVE MATCHING SPC & LVT FLOORING ACCESSORIES FOR ALL YOUR FINISHING FLOORING NEEDS.
ALL OUR SPC & LVT FLOORING ACCESSORIES ARE FULLY WATER PROOF, TERMITE FREE AND PVC COATED FOR OUTSTANDING DURABILITY.



SPC SKIRTING
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240 X 10CM



STAIR NOSE
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240 X 10CM




T PROFILE
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240 X 10CM



REDUCER
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240 X 10CM



QUARTER ROUND
AVAILABLE IN ALL FLOORING COLORS
SIZE : 240 X 10CM




CAN GO OVER
YOUR EXSISTING
SKIRTING

CUSTOM L SHAPE SKIRTING
AVAILABLE IN WHITE OR CUSTOM PAINT

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY

POLAR SPC & LVT GRAPHIC VISUALIZATION

SPC



Ceramic Bead Finish UV Coating


Protective Wear Layer

High Definition Decor Film

Polymer/ Virgin Stone Mix

Supa Eva Underlay

LVT



Ceramic Bead Finish UV Coating

Protective Wear Layer

High Definition Decor Film

Upper Middle Layer

Middle Layer

Glass Fiber Reinforcement Layer

Upper Base Layer

Lower Base Layer

FORMALDEHYDE FREE	NANO ANTIFOULING	FIRE PROTECTION	HD WOOD GRAIN	ANTI-SLIP SURFACE	SOUND-PROOF TECHNOLOGY	100% WATERPROOF	FULLY WEAR-RESISTANT	LIMITED WARRANTY

BOARD SPECIFICATION FOR SPC

DESCRIPTION	STANDARD	REQUIREMENTS	RESULTS
CLASSIFICATION(LEVEL OF USE)	EN 16511	COMMERCIAL VERY HEAVY(CLASS 34)	SURPASSES REQUIREMENTS
WEAR RESISTANCE IP, METHOD A	EN 13329, ANNEX E	≤4000 CYCLES	SURPASSES REQUIREMENTS
IMPACT RESISTANCE (BIG BALL)	EN 13329+ AL ANNEX L	NO CRACKS	SURPASSES REQUIREMENTS
MICRO-SCRATCH RESISTANCE (CLASS)	EN 16094,METHOD B	MSR-A2/MSR-B1	PASSES / SURPASSES
CASTOR CHAIR RESISTANCE	EN 425	AFTER 25000 CYCLES: NO DISTURBANCE TO PLANK	PASSES REQUIREMENTS
EFFECT OF FURNITURE LEG	EN 424	NO VISIBLE DAMAGE	PASSES REQUIREMENTS
RESIDUAL INDENTATION	EN ISO 243431	≤ 0.15MM	SURPASSES REQUIREMENTS
RESISTANCE TO STAINING	EN 438-2	GROUPS 1,283 GRADE 5	PASSES REQUIREMENTS
LOCKING STRENGTH	ISO 24334	"LONG SIDE ≥ 2.0KN/M	PASSES REQUIREMENTS
SHORT SIDE ≥3.5KN/M"	-	-	SURPASSES REQUIREMENTS
DIMENSIONAL STABILITY DUE TO	EN ISO 23999	≤0.25%	SURPASSES REQUIREMENTS
VOC FREE	EN 71-3	≥ 0.1MG	SURPASSES REQUIREMENTS
RESISTANT TO CHEMICALS	EN 423	STD TEST	CLASS ZERO
FLEXIBILITY 10MM	EN 435	TORQUE BEND	NO DAMAGE
ANTI FLAMING	CNS 8907	STD TEST	PASS
RESISTANCE TO FIRE	NFPA	STD TEST	CLASS A
PEELING STRENGTH OF LAYERS	EN 431		PASS
SLIP RESISTANCE	R9		PASS

BOARD SPECIFICATION FOR LVT

DESCRIPTION	STANDARD	REQUIREMENTS
CHEMICAL RESISTANCE	EN423	HIGH RESISTANCE
RESIDUAL INDENTATION	EN433	≤0.08MM
DIMENSIONAL STABILITY	EN434	≤0.08%
COLOUR FASTNESS TO LIGHT	EN20105-B02	≥6
ABRASION RESISTANCE	DN51130	R11
WATER RESISTANCE	EN660-2	GROUP T
ANTIMICROBIAL ACTIVITY	ASTING 21-96	CLASS 0
FIRE RATING	EN ISO 9239-1	B-S1
WARRANTY FOR DOMESTIC USE		15 YEARS
WARRANTY FOR COMMERCIAL USE		5 YEARS
IMPACT SOUND INSULATION	ISO 717-2	5 DB

POLAR TECHNICAL DATA

ITEM	POLAR SPC	POLAR HERRINGBONE	POLAR LVT
TOTAL THICKNESS	5 MM	5 MM	4 MM
CORE	4.0MM VIRGIN WHITE STONE	4.0MM VIRGIN WHITE STONE	4.0MM EXTRUDED VINYL CORE
UNDERLAY	1MM SUPER EVA	1MM SUPER EVA	NONE
PLANK SIZE	1220X183MM	640X128MM	1220X180MM
WEAR LAYER	0.3MM	0.3MM	0.3MM
EDGE DETAILS	UNILIN CLICK LOCK	UNILIN CLICK LOCK	UNILIN CLICK LOCK
FINISH	MATT	MATT	MATT
EMBOSSING	3D NATURAL	3D NATURAL	3D NATURAL
COVERAGE PER CARTON	2.68	0.983	2.635
PIECES PER CARTON	12PCS	12PCS	12PCS
RESIDENTIAL LIMITED WARRANTY	5 YEARS	5 YEARS	5 YEARS
COMMERCIAL LIMITED WARRANTY	2 YEARS	2 YEARS	2 YEARS

Polar Floors
SPC & LVT COLLECTION

SEAGATE, DUNDEE DD1
SCOTLAND, UK.
EMAIL: HELLO@POLARFLOORS.COM
POLARFLOORS.COM